

Rozmezí hodnot krevního tlaku pro novorozence velmi nízké porodní hmotnosti (VLBW)

Normální hodnoty krevního tlaku u VLBW (600-1750 gramů). Získáno metodou Dinamap.  
Modifikováno: J. R. Ingelfinger, L. Powers, M. F. Epstein, Pediatric Research 17:319A, 1983.

600-999 g

Den	Syst (2 SD)	Diast (2 SD)
1	37.9 (17.4)	23.2 (10.3)
3	44.9 (15.7)	30.6 (12.3)
7	50.0 (14.8)	30.4 (12.4)
14	50.2 (14.8)	37.4 (12.0)
28	61.0 (23.5)	45.8 (27.4)

1000-1249 g

Den	Syst (2 SD)	Diast (2 SD)
1	44 (22.8)	22.5 (13.5)
3	48 (15.4)	36.5 (9.6)
7	57 (14.0)	42.5 (16.5)
14	53 (30.0)	
28	57 (30.0)	

1250-1499 g

Den	Syst (2 SD)	Diast (2 SD)
1	48 (18.0)	27 (12.4)
3	59 (21.1)	40 (13.7)
7	68 (14.8)	40 (11.3)
14	64 (21.2)	36 (24.2)
28	69 (31.4)	44 (26.2)

1500-1750 g

Den	Syst (2 SD)	Diast (2 SD)
1	47 (15.8)	26 (15.6)
3	51 (18.2)	35 (10.0)
7	66 (23.0)	41 (24.0)
14	76 (34.8)	42 (20.3)
28	73 (5.6)	50 (9.9)

Normální krevní tlak u novorozenců porodní váhy <1500 gramů (hodnoty ráno na pravé horní končetině). J. Ped 112(2):268, Feb. 1988.

#### Probuzení

Den	Syst (2 SD)	Diast (2 SD)	Střední (2 SD)
1	67.9 (30.8)	43.5 (28.8)	57.7 (31.8)
2	71.9 (33.6)	48.3 (30.2)	59.6 (29.6)
3	74.3 (31.4)	49.3 (31.6)	63.7 (30.2)
4	77.5 (37.0)	52.5 (31.8)	65.0 (35.4)
5	74.2 (29.2)	49.0 (28.6)	61.9 (31.6)
6	76.8 (31.0)	51.8 (30.0)	63.5 (30.8)
7	76.2 (29.6)	47.6 (27.2)	63.5 (28.4)
10	72.8 (30.6)	46.7 (27.8)	59.2 (30.4)
14	75.7 (32.0)	45.8 (31.2)	58.1 (32.2)
21	76.2 (31.6)	48.8 (31.6)	60.2 (32.0)
28	78.0 (33.6)	48.7 (30.8)	65.0 (33.6)
35	78.1 (34.2)	50.4 (29.2)	63.4 (32.4)
42	80.3 (32.4)	50.4 (32.4)	63.0 (34.0)
49	85.2 (37.2)	53.3 (31.2)	60.2 (40.0)
56	86.0 (40.6)	51.9 (35.8)	69.4 (36.0)
63	83.9 (32.0)	51.8 (32.6)	66.3 (34.4)
70	90.8 (36.2)	55.3 (33.8)	70.9 (35.2)

#### Spící

Den	Syst (2 SD)	Diast (2 SD)	Střední (2 SD)
1	65.0 (27.2)	41.4 (24.6)	55.8 (27.2)
2	72.0 (33.0)	48.9 (31.0)	60.9 (31.0)
3	77.0 (31.4)	52.7 (32.0)	64.8 (34.2)
4	71.0 (41.2)	50.7 (28.2)	62.6 (30.0)
5	74.8 (27.2)	49.3 (26.8)	61.7 (28.2)
6	76.9 (33.8)	53.0 (33.0)	64.4 (33.6)
7	73.7 (27.0)	46.7 (25.4)	61.0 (28.4)
10	74.7 (32.2)	50.0 (30.2)	59.9 (28.4)
14	70.9 (26.0)	45.2 (22.4)	55.1 (24.2)
21	75.5 (31.6)	48.8 (29.8)	60.1 (29.6)
28	80.8 (37.0)	50.9 (34.6)	64.7 (37.0)
35	75.9 (32.6)	48.5 (29.8)	60.6 (29.2)
42	83.5 (33.6)	51.0 (32.6)	66.6 (33.6)
49	86.2 (38.0)	50.8 (30.4)	66.6 (35.8)
56	86.7 (36.0)	52.3 (32.4)	67.4 (37.6)
63	79.9 (40.4)	52.1 (38.6)	63.7 (34.0)
70	88.6 (38.6)	59.3 (32.0)	72.0 (36.2)

Normální krevní tlak u hemodynamicky stabilních novorozenců s porodní vahou 500-750 gramů v prvním týdnu života. Modifikace dle Spinazzola et al, J Perinatology 11(2):149, 1991.

Den	Hct (Průměr %)	Systolický TK, Průměr±SD	Střední TK, Průměr±SD	Diastolický TK, Průměr±SD
0.5	48.4	44.4±22.4	33.3±18.0	27.7±17.0
1	44.8	46.7±19.0	33.6±18.0	30.2±18.8
2	40.7	46.3±11.7	35.0±9.2	29.4±9.1
3	41.2	49.5±17.4	37.6±13.7	31.6±13.6
4	41.7	49.6±21.3	37.1±14.2	30.8±11.9
5	45.7	49.6±22.6	37.1±14.3	30.8±13.0
6	42.8	50.6±23.3	37.5±17.5	31.0±15.9
7	41.7	51.6±18.7	38.6±14.3	32.2±15.0

1998 Neonatology on the Web